



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Endodermis and prothallium of *Equisetum*.—KASHYAP³⁴ has investigated the endodermis and prothallium of *Equisetum debile*. He finds that the endodermis is very unstable. At the nodes of the subterranean and aerial sterile shoots, and in the fertile region, the endodermis invests each vascular bundle, while in the internodes of the subterranean and aerial sterile shoots it surrounds the ring of bundles in two layers. These two rings of endodermis occasionally fuse, leaving islands of parenchymatous tissue. In the case of the prothallium, he discovered that if the spores are sown thickly, the prothallia remain small, develop only one growing point, and usually bear only one kind of sex organ. If the spores germinate at a distance from each other, the prothallia become very large and develop a meristem around the margin. It is somewhat remarkable that in this latter case the prothallia produce archegonia first and antheridia later.—J. M. C.

Variation in *Picea excelsa*.—A delayed volume of *Acta Horti Bergiana* contains a remarkable series of illustrations of variations in seedlings, leaves, and especially in the ovulate cones of *Picea excelsa*.³⁵ Most of the plates are double and many of them are beautifully colored, and the number of separate figures averages between 30 and 40 to a plate. The immense amount of variation shown in these figures doubtless would have induced many writers to multiply species. The present account consists of the figures and a good description of plates. There is scarcely a page of text. Even as it is, the illustrations are valuable as a record, and WITTRICK may give a full account later.—CHARLES J. CHAMBERLAIN.

Vegetation of Ohio.—Miss BRAUN³⁶ has studied the vegetation of Ohio as seen in the Cincinnati region, classifying the plant associations according to the physiography into the upland, slope, valley, and floodplain series. All the successions progress toward the mesophytic forest, the climax being either a forest of *Fagus* on the pre-erosion topography, or a mixed mesophytic forest upon the floodplains and in the ravines. She is of the opinion that this erosion climax, which resembles the forest of the southern Appalachians, is the more permanent and will eventually displace the pre-erosion climax beech forest. The report is well illustrated with photographs, maps, and diagrams.—GEO. D. FULLER.

Addisionia.—The fourth number of the second volume of this journal, with its "colored illustrations and popular descriptions of plants," includes the

³⁴ KASHYAP, S. R., Notes on *Equisetum debile* Roxb. Ann. Botany 31:439-445. figs. 3. 1917.

³⁵ WITTRICK, V. B., De *Picea excelsis* (Lam.) Lk., praesertim de formis suecicis hujus arboris. Pars I. Meddelanden om granen. Acta Horti Bergiani 5:1-91. pls. 1-23. 1914.

³⁶ BRAUN, E. LUCY, The physiographic ecology of the Cincinnati region. Ohio Biol. Surv. 2:(Bull. 7) 116-211. figs. 58. 1916.